



Kvaser OBD II Extension Cable 2.5m

EAN: 73-30130-00347-7

Kvaser's OBD II Extension Cable is a highly durable extension cable of 2.5 metres in length with male to female OBD II connectors. The cable is made of high quality thermoplastic rubber to ensure excellent flexibility and resilience. All pins are connected.

Major Features

- Molded OBD II (SAE J1962) male connector, Type B (24 Volt).
- Molded OBD II (SAE J1962) female connector, Type B (24 Volt).
- Made of durable thermoplastic rubber.
- Gold plated pins on OBDII connectors for extra reliable contact.
- Termination is built in with a 120 Ohm terminating resistor.
- Available in other cable lengths.
- RoHS compliant.
- This cable can save wear and tear on your CAN interface's OBD2 connector.



Warranty

- 2-Year Warranty. See our General Conditions and Policies for details.

Support

- Free Technical Support on all products available by contacting support@kvaser.com.

TECHNICAL DATA - KVASER OBD II EXTENSION CABLE 2.5M

PRODUCT GROUPS	Cable
DATABASE DBC SUPPORT	No
CAN FD	No
API, LICENCED	None
PLAY BACK LOG FILE	No
STATUS	Active
CLOCK SYNC	N/A
EMBEDDED SCRIPT	No
ON-BOARD RX BUFFER	N/A
CURRENT CONSUMPTION	N/A
# OF CAN CHANNELS	1
CONNECTOR	N/A
ERROR COUNTERS READING	N/A
TIMESTAMP RESOLUTION (US)	N/A
PC INTERFACE	Cable
OPERATING TEMPERATURE RANGE (C)	-30.00 to 85.00
LENGTH (MM)	2500
ERROR FRAME DETECTION	N/A
ON-BOARD TX BUFFER	N/A
MINIMUM BITRATE (KBPS)	N/A
ERROR FRAME GENERATION	N/A
SILENT MODE	N/A
SOUND	N/A
WEIGHT (G)	400.0
API, FREE	N/A
CERTIFICATIONS	CE,RoHS
MSGRATE TX MAX	N/A



Kvaser OBD II Extension Cable 2.5m

RUGGED	No
ON-BOARD BUFFER	N/A
IP CLASS	N/A
NETWORK CHANNEL(S)	
HEIGHT (MM)	N/A
CB BOARD	No
WIDTH (MM)	N/A
OPERATING SYSTEM	Linux,Win Vista,Win 10,Win 8,Win 7,Win XP
GALVANIC ISOLATION	N/A
MSGRATE RX MAX	N/A
MAXIMUM BITRATE (KBPS)	N/A
CASING MATERIAL	73-30130-00347-7

The information herein is subject to change without notice